

DVR Pricelist

Model NO.: 2004J

Price: FOB(Shenzhen)USD164/pc (The price exclude the HDD price)

FEATURES

- Recording image quality adjustable: high, normal, low
- Provide password protection, guarantee system's security
- Three recording mode: manual , timer, alarm
- Quad or each recording mode, real time recording under Quad
- Various Playback: Each or 4channels (zoom in each mode), fast forward, back forward
- Automatic spot protection when power-off, automatic resume when power on.
- P.T.Z. control via RS485 by remote controller
- HDD in mobile rack, convenient for changing and a second IDE port for a second external HDD
- PC Viewer : Archive recordings into any recording media via computer



SPECIFICATIONS

Compression format	Modified Mjpeg
Video output:	composite: 1.Vp-p/75Ω, BNC×2
Video input:	composite: 1.Vp-p/75Ω, BNC×4
Display Resolution:	720*576 (PAL), 720*480 (NTSC)
Record Resolution	640*272 (PAL) 640*224 (NTSC)
Display Frame Rate	100FPS (PAL) , 120FPS (NTSC)
Record Frame Rate	1-25FPS (PAL) 1-30FPS (NTSC)
Audio input	no
Audio output	no
Alarm input:	NO or NC, 4CH
Alarm output:	NO or NC, 1CH
Record Mode	Manual / Sensor /Timer
Simplex/Duplex/Triplex	Simplex
Network Interface	no
PTZ control	Yes, protocol configurable
Communication port	RS485
Hard disk info	25M/h~2G/h (2HDD, up to 250g/hdd)
Remote controller	YES
Backup	Through network software by scanning HDD
Power supply	90V-240V

Nordgren

Sales

www.nordgrensales.se



Model NO.: 2004W-U

Price: FOB(Shenzhen)USD255/pc (The price exclude the HDD price)

FEATURES



- Sophisticated Network Functions: remote surveillance, remote playback, remote recording, remote control DVR
- Various recording mode: timer, motion detection, alarm ,manual with pre-alarm and watermark
- Recording picture quality, resolution & recording frame rate configurable
- Flexible Display mode : Auto Switch, PIP, Full Screen, Quad, Playback & Display on one screen
- Multi-method searching: Time, Recording event (Alarm, motion detection), recording list
- Triplex :monitoring, recording and playback simultaneously.
- Easy Backup: through network software by scanning HDD or USB 1.1 port

SPECIFICATIONS

Compression format	Modified Mjpeg
Video output:	composite: 1.Vp-p/75Ω, BNC×2
Video input:	composite: 1.Vp-p/75Ω, BNC×4
Display Resolution:	720*576 (PAL), 720*480 (NTSC)
Record Resolution	720*288 or 360*288 (PAL) 720*240 or 360*240 (NTSC)
Display Frame Rate	100FPS (PAL) , 120FPS (NTSC)
Record Frame Rate	50FPS or 100FPS (PAL) 60FPS or 120FPS (NTSC)
Audio input	-8dB --- 22k, RCA X4 (1CH)
Audio output	-8dB --- 92dB, RCA X1
Alarm input:	NO or NC, 4CH
Alarm output:	NO or NC, 1CH
Record Mode	Manual / Sensor /Timer / Motion detection
Simplex/Duplex/Triplex	Triplex
Network Interface	RJ45 (LAN, INTERNET)
PTZ control	NO
Communication port	RS485
Hard disk info	Support ONE HDD with no size limitation
Remote controller	YES
Backup	Through network software by scanning HDD
Power supply	12V

Nordgren

Sales

www.nordgrensales.se



Model NO.: 2008W

Price: FOB(Shenzhen)USD430/pc (The price exclude the HDD price)

FEATURES



- Sophisticated Network Functions: remote surveillance, remote playback, remote recording, remote control DVR
- Various recording mode: timer, motion detection, alarm with watermark
- Recording picture quality, resolution & recording frame rate configurable
- Flexible Display mode: Auto Switch, Full Screen, Quad, nine pictures, sixteen pictures etc
- Multi-method searching: Time, Recording event(Alarm, motion detection), recording list
- Triplex : monitoring, recording and playback simultaneously.
- Easy Backup: through network software by scanning HDD or USB 1.1 port or CD-RW

SPECIFICATIONS

Compression format	Modified Mjpeg
Video input	Composite: 1.0V p-p/75Ω, BNC×8
Video output	Composite: 1.0V p-p/75Ω, BNC×2 Super Video: S-Video, PS/2X1
Display Resolution:	720*576 (PAL), 720*480 (NTSC)
Record Resolution	720*288 or 360*288 (PAL) 720*240 or 360*240 (NTSC)
Display Frame Rate	200FPS (PAL), 240FPS (NTSC)
Record Frame Rate	50FPS or 100FPS (PAL) 60FPS or 120FPS (NTSC)
Audio input	-8dB --- 22k, RCA X4 (1CH)
Audio output	-8dB --- 92dB, RCA X1
Alarm input:	NO or NC, 8CH
Alarm output:	NO or NC, 1CH
Record Mode	Manual / Sensor /Timer / Motion detection
Simplex/Duplex/Triplex	Triplex
Network Interface	RJ45 (LAN, INTERNET)
PTZ control	YES
Communication port	RS485
Hard disk info	Support TWO HDDs with no size limitation
Remote controller	YES
Backup	USB ,CD-RW
Power supply	12V



Model NO.: 2016W

Price: FOB(Shenzhen)USD506/pc (The price exclude the HDD price)

FEATURES



- Sophisticated Network Functions: remote surveillance, remote playback, remote recording, remote control DVR
- Various recording mode: timer, motion detection, alarm with watermark
- Recording picture quality, resolution & recording frame rate configurable
- Flexible Display mode: Auto Switch, Full Screen, Quad, nine pictures, sixteen pictures etc
- Multi-method searching: Time, Recording event(Alarm, motion detection), recording list
- Triplex :monitoring, recording and playback simultaneously
- Easy Backup: through network software by scanning HDD or USB 1.1 port or CD-RW

SPECIFICATIONS

Compression format	Modified Mjpeg
Video input	Composite: 1.0V p-p/75Ω, BNC×16
Video output	Composite: 1.0V p-p/75Ω, BNC×2 Super Video: S-Video, PS/2X1
Display Resolution:	720*576 (PAL), 720*480 (NTSC)
Record Resolution	720*288 or 360*288 (PAL) 720*240 or 360*240 (NTSC)
Display Frame Rate	400FPS (PAL), 480FPS (NTSC)
Record Frame Rate	50FPS or 100FPS (PAL) 60FPS or 120FPS (NTSC)
Audio input	-8dB --- 22k, RCA X4 (1CH)
Audio output	-8dB --- 92dB, RCA X1
Alarm input:	NO or NC, 16CH
Alarm output:	NO or NC, 1CH
Record Mode	Manual / Sensor /Timer / Motion detection
Simplex/Duplex/Triplex	Triplex
Network Interface	RJ45 (LAN, INTERNET)
PTZ control	YES
Communication port	RS485
Hard disk info	Support TWO HDDs with no size limitation
Remote controller	YES
Backup	USB ,CDRW
Power supply	12V